

www.everising.com

The logo for Everising, featuring the word "EVERISING" in a bold, italicized, sans-serif font. The letter "E" is stylized with three diagonal stripes. The logo is set against a background of a green grid pattern that is partially obscured by a large, detailed image of a circular saw blade on the left side of the page.

EVERISING

Circular Saw →

- Provides Many Various Choices For Sawing Machine.
- The Speed You Want and The Accuracy Your Product Demands

ISO9001 CE

EVERISING MACHINE CO.

CIRCULAR SAW

The Speed You Want And The Accuracy You Need

P-65B / P-100B / P-150B



STANDARD FEATURES:

1. Friendly and easy to operate touch screen.
2. Hydraulic clamped front & vertical vises.
3. Floating shuttle device.
4. Hydraulic sorting chute.
5. Electro-Magnetic powder brake
6. Chip brush.
7. Automatic loading table (5M) only for round bar.
8. Saw blade 2pcs
9. Automatic chip conveyor
10. Transmission belt x 2pcs.
11. Cutting mist oil 5 gallons.
12. One set of tools with tool box.

OPTIONAL EQUIPMENT:

1. Air Filter
2. Air Compressor
3. Variable vise pressure
4. Cutting fluid coolant system
5. Air blow device for tube cutting
6. Individual power wire brush (Standard for P-150B)

Mode

Capac

Blade

Hydra

Blade

Saw B

Blade

Load

Bar Fe

Auton

Auton

Coolin

Machi

Floor

(m

ISO9001 CE

Accuracy Your Product Demands

▷▷ Rear View



• User-Friendly Touch-Screen



• Precision Servo-Driven Stock Feed System



• Electro-Magnetic Powder Brake



• Oil Mist Filter (Option)

		P-65B	P-100B	P-150B
Capacity	●	10 -65 mm.	15 - 100 mm.	70 - 150 mm.
	■	10 -52 mm.	15 -80 mm.	70 -105 mm.
	—	10 -52 mm.	15 -80 mm.	70 -120 mm.
Motor		10 HP	15 HP	20 HP
Hydraulic Pump Motor		2 HP	3 HP	5 HP
Speed		30 -150 rpm	30 -130 rpm	
Blade Size (T:Kerf t:Thickness)		Ø 280 x T2.0 x 1.75t mm.	Ø 360 x T2.6 x 2.25t mm.	Ø 460 x T2.7 x 2.25t mm.
Feed		Servo motor and ball screw		
Table (W x L)		1200 mm. x 5200 mm.		
Feed		Servo motor and ball screw		
Automatic Feed Length		Single feed 8 - 600 mm. Multiple feed - 3000 mm.		Single feed 10 - 700 mm. Multiple feed - 3000 mm.
Automatic Chip Conveyor		Chain type		
Chip		Air compressed oil mist		
Machine weight With Table		3200 kg	3900 kg	4900 kg
Space (m.)	Machine	2600 W x 1900 L	2900 W x 1900 L	3100 W x 2075 L
	With 5M Load Table	2600 W x 6835 L	2900 W x 6835 L	2900 W x 7175 L

* All specifications, dimensions and design characteristics shown in this catalogue are subject to change without prior notice.



EVERISING MACHINE CO.

23, 8TH RD., TAICHUNG INDUSTRIAL
PARK TAICHUNG 407, TAIWAN.
TEL: +886-4-23505300 / 23593178
FAX: +886-4-23505420
E-mail: evrs@everising.com.tw

<http://www.everising.com>

girgular Saw